

Carbide High Strength Steel Drill Bits HSS High Speed Steel Twist Drill **Bits**

Basic Information

- Place of Origin:
- Brand Name:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time: 7-14 work days
- Payment Terms: T/T, MoneyGram 10000pcs/month

China

KΜ

50

US\$12.00-80.00 / Piece

Titanium Coating

Twist Drill Bit

Acceptable

HSS Drill Bit

1pc in a plastic tube and all in carton box

• Supply Ability:



Product Specification

- Surface Treatment:
- Material:
- Model NO .:
- Type:
- Size Customized:
- Usage:
- Wood Drilling, PCB Drilling, Metal Drilling CNC Drilling Machine/Machining Center
- Application: • Highlight:
- High Strength Steel Drill Bits, Steel Drill Bits HSS. Carbide High Speed Steel Twist Drill Bits



More Images



Product Description

Carbide High Strength Drill Bits Straight Shank Twist Drill High Speed Steel

Product Description

Features:

Material: High-Speed Steel (HSS) Finish: Black oxide for increased durability and corrosion resistance Design: Fully ground for precision and accurate drilling Length: Jobber length for versatile applications Point Angle: 118° point angle for general-purpose drilling

Benefits:

Enhanced Durability: Black oxide finish extends the life of the drill bit by providing superior corrosion resistance Precision Drilling: Fully ground design ensures accurate and clean holes Heat Resistance: HSS material maintains hardness at high temperatures for efficient drilling Versatile Use: Suitable for drilling in metal, wood, plastics, and other materials Reduced Friction: Black oxide finish reduces friction and heat buildup during drilling








Product Parameters

| Product Name: | Titanium plated straight shank twist drill | nk twist drill Material: | | | | | | |
|-----------------------|--|---------------------------|-------------|--|--|--|--|--|
| Properties: | High hardness, high temperature wear resistance, good chip removal, precise positioning, high drilling accuracy and long service life | | | | | | | |
| Scope of application: | Cast iron, steel parts, mold steel, stainless steel, titar | nium alloy, high-strength | steel, etc. | | | | | |

| Specification | flute length | Full length | Specification | flute length | Full length | Specification | flute length | Full length |
|---------------|--------------|-------------|---------------|--------------|-------------|---------------|--------------|-------------|
| 1 | 12 | 34 | 5.3 | 52 | 86 | 9.2 | 81 | 125 |
| 1.1 | 14 | 34 | 5.4 | 57 | 93 | 9.3 | 81 | 125 |
| 1.2 | 16 | 38 | 5.5 | 57 | 93 | 9.4 | 81 | 125 |
| 1.3 | 16 | 38 | 5.6 | 57 | 93 | 9.5 | 81 | 125 |
| 1.4 | 18 | 40 | 5.7 | 57 | 93 | 9.6 | 87 | 133 |
| 1.5 | 18 | 40 | 5.8 | 57 | 93 | 9.7 | 87 | 133 |
| 1.6 | 20 | 43 | 5.9 | 57 | 93 | 9.8 | 87 | 133 |
| 1.7 | 20 | 43 | 6 | 57 | 93 | 9.9 | 87 | 133 |
| 1.8 | 22 | 46 | 6.1 | 63 | 101 | 10 | 87 | 133 |
| 1.9 | 22 | 46 | 6.2 | 63 | 101 | 10.1 | 87 | 133 |
| 2 | 24 | 49 | 6.3 | 63 | 101 | 10.2 | 87 | 133 |
| 2.1 | 24 | 49 | 6.4 | 63 | 101 | 10.3 | 87 | 133 |
| 2.2 | 27 | 53 | 6.5 | 63 | 101 | 10.4 | 87 | 133 |
| 2.3 | 27 | 53 | 6.6 | 63 | 101 | 10.5 | 87 | 133 |
| 2.4 | 30 | 57 | 6.7 | 63 | 101 | 10.6 | 94 | 142 |
| 2.5 | 30 | 57 | 6.8 | 69 | 109 | 10.7 | 94 | 142 |
| 2.6 | 30 | 57 | 6.9 | 69 | 109 | 10.8 | 94 | 142 |
| 2.7 | 33 | 61 | 7 | 69 | 109 | 10.9 | 94 | 142 |
| 2.8 | 33 | 61 | 7.1 | 69 | 109 | 11 | 94 | 142 |
| 2.9 | 33 | 61 | 7.2 | 69 | 109 | 11.1 | 94 | 142 |
| 3 | 33 | 61 | 7.3 | 69 | 109 | 11.2 | 94 | 142 |
| 3.1 | 36 | 65 | 7.4 | 69 | 109 | 11.3 | 94 | 142 |
| 3.2 | 36 | 65 | 7.5 | 69 | 109 | 11.4 | 94 | 142 |
| 3.3 | 36 | 65 | 7.6 | 75 | 117 | 11.5 | 94 | 142 |
| 3.4 | 39 | 70 | 7.7 | 75 | 117 | 11.6 | 101 | 151 |
| 3.5 | 39 | 70 | 7.8 | 75 | 117 | 11.7 | 101 | 151 |
| 3.6 | 39 | 70 | 7.9 | 75 | 117 | 11.8 | 101 | 151 |
| 3.7 | 39 | 70 | 8 | 75 | 117 | 11.9 | 101 | 151 |
| 3.8 | 43 | 75 | 8.1 | 75 | 117 | 12 | 101 | 151 |
| 3.9 | 43 | 75 | 8.2 | 75 | 117 | 12.1 | 101 | 151 |
| 4 | 43 | 75 | 8.3 | 75 | 117 | 12.2 | 101 | 151 |
| 4.1 | 43 | 75 | 8.4 | 75 | 117 | 12.3 | 101 | 151 |
| 4.2 | 43 | 75 | 8.5 | 75 | 117 | 12.4 | 101 | 151 |
| 4.3 | 47 | 80 | 8.6 | 81 | 125 | 12.5 | 101 | 151 |
| 4.4 | 47 | 80 | 8.7 | 81 | 125 | 12.6 | 101 | 151 |
| 4.5 | 47 | 80 | 8.8 | 81 | 125 | 12.7 | 101 | 151 |
| 4.6 | 47 | 80 | 8.9 | 81 | 125 | 12.8 | 101 | 151 |
| 4.7 | 47 | 80 | 9 | 81 | 125 | 12.9 | 101 | 151 |
| 4.8 | 52 | 86 | 9.1 | 81 | 125 | 13 | 101 | 151 |
| 4.9 | 52 | 86 | | | | | | |
| 5 | 52 | 86 | | | | | | |
| 5.1 | 52 | 86 | | | | | | |
| 5.2 | 52 | 86 | | | | | | |

Product specifications are complete, and non-standard products can be customized.

Product display



Company Introduction

Dongguan Kunming Electronic Technology Co., Ltd. focusing on the production and sale of CNC tools. The company manages a wide range of cutting tools, which are mainly used in mold processing, automotive parts processing, IT industry, graphite processing, shippingand machinery industries. Since the establishment of the company, We have been maximizing the interests of customers as its own responsibility, and customers

to maintain close cooperation and smooth communication, and on this basis, constantly optimize innovative product categories, and continue to provide partners with stable, high-quality and competitive cutting tools.

Product Contents

Standard mold tools, stainless steel tools, aluminum tools, graphite tools, micro-diameter tools, T-type Tool, tungsten steel drill, rough milling cutter, tungsten steel reamer, chamfering cutter, inner R cutter, fixed point drill, taper cutter Customized with all kinds of non-standard tools.



FAQ

1. Can the price be reduced for large quantities? Yes, bigger quantity orders are cheaper.

2. What is the lead time for mass production? Honestly, it depends on the order quantity and the season you place your order.

3. Can you send the product to our forwarder in China? Yes, if you have a forwarder in China, we are happy to send the product to them.

4. Can you produce special carbide tools? Of course, we will produce according to your drawings and samples.

5. How to buy tools from you? send us a inquiry sheet or messaget, we would arrange sale to reply you in short time.

6. What's the payment item? We do 100% T/T in advance for small order, if you are in huge value order, we would discuss on the basis of mutual aggreement.

Dongguan Kunming Electronics Technology Co., Ltd.

0

S +8613450663420