

# Apkt1135pder-G2 Carbide CNC Turning Inserts For Aluminum Alloy Machining Cutting

## **Basic Information**

Place of Origin: China
Brand Name: KM
Model Number: APMT
Minimum Order Quantity: 50

• Price: US \$2.00-30.00 / Piece

• Packaging Details: 1pc in a plastic tube and all in carton box

Delivery Time: 7-14 work days
 Payment Terms: T/T, MoneyGram
 Supply Ability: 10000pcs/month

# APKT1135PDER-G2

aluminum copper



semi-finishing

# **Product Specification**

• Type: Lathe Turning Tool

Stock Status:
 In Stock

• Package: 10PCS In One Box

• Size Customized: Acceptable

Advantage: Stable And Long Tool Life

Usage: Metal Cutting Tools Installed On CNC

Machine

• Highlight: Apkt1135pder-G2, Carbide CNC Turning Inserts,

**Aluminum Alloy CNC Turning Inserts** 



# More Images









## **Product Description**

#### **Product Description**

CNC inserts are the general name for indexable turning inserts and are the mainstream products in modern metal cutting applications. Mainly used in metal turning, milling, cutting and grooving, thread turning and other fields.

CNC inserts are mainly used in metal turning, milling, cutting and grooving, thread turning and other fields. According to the material can be divided into coated blades, cermet blades, non-metallic ceramic blades, carbide blades, super hard blades and so on. It is characterized by high efficiency and high wear resistance, which is more than 4 times more efficient than traditional welding inserts and alloy inserts. With the continuous advancement of coating technology, breakthroughs in key technologies of wear resistance and high temperature resistance will further

improve efficiency and reduce processing costs.





















Insert	Model	Size			
		l	d	t	R
0	APMT1604 H2	16.5	9.525	4.76	0.8
	APMT1135 H2	11	6.35	3.5	0.8
(10)	APMT1604 M2	16.5	9.525	4.76	0.8
	APMT1135 M2	11	6.35	3.5	0.8
-0-	APMT1605 XM	16.5	9.525	5.1	0.8
	APMT1135 XM	11	6.35	3.5	0.4
01	APMT1604 PM	16.5	9.525	4.76	0.8
	APMT1135 PM	11	6.35	3.5	0.4
G2 O30	APKT1135 G2	11	6.35	3.5	0.4
	APKT1604 G2	16.5	9.2	4.5	0.8
0	APKT1604 AK	16.5	9.525	5.1	0.4

Our products are rich in variety and complete in specifications, which can meet the processing needs of different levels in production and processing.

#### **Product display**



#### **Company Introduction**

Dongguan Kunming Electronic Technology Co., Ltd. focusing on the production and sale of CNC tools. The company manages a wide range of cutting tools, which are mainly used in mold processing, automotive parts processing, IT industry, graphite processing, shippingand machinery industries. Since the establishment of the company, We have been maximizing the interests of customers as its own responsibility, and customers

to maintain close cooperation and smooth communication, and on this basis, constantly optimize innovative product categories, and continue to provide partners with stable, high-quality and competitive cutting tools.

#### **Product Contents**

Standard mold tools, stainless steel tools, aluminum tools, graphite tools, micro-diameter tools, T-type Tool, tungsten steel drill, rough milling cutter, tungsten steel reamer, chamfering cutter, inner R cutter, fixed point drill, taper cutter Customized with all kinds of non-standard tools.













#### FAQ

- 1. Can the price be reduced for large quantities? Yes, bigger quantity orders are cheaper.
- 2. What is the lead time for mass production? Honestly, it depends on the order quantity and the season you place your order.
- 3. Can you send the product to our forwarder in China? Yes, if you have a forwarder in China, we are happy to send the product to them.
- 4. Can you produce special carbide tools? Of course, we will produce according to your drawings and samples.
- 5. How to buy tools from you? send us a inquiry sheet or messaget, we would arrange sale to reply you in short time.
- 6. What's the payment item? We do 100% T/T in advance for small order, if you are in huge value order, we would discuss on the basis of mutual aggreement.