Our Product Introduction

₫

more products please visit us on cutter-milling.com

K

Tungsten Carbide Milling Cutter Tool Nano Coating Milling Cutters For Steel

Basic Information

• Place of Origin: • Brand Name: KM • Model Number: KM-65 Minimum Order Quantity: 50PCS

• Price: US \$0.70-60.00 / Piece

• Packaging Details: 1pc in a plastic tube and all in carton box

Delivery Time: 7-14work days Payment Terms: T/T, MoneyGram Supply Ability: 10000pcs/month



Product Specification

Material: Tungsten Carbide Series: Aluminum Alloy End Mills

. Coating: Uncoated Or DLC Or Lubricate Coating

Application: Aluminum Alloy , Copper Etc.

• Flutes Number: Diameter: 1-20mm . Tool Length: 50-150mm

• Highlight: Milling Cutter Tool Nano Coating, Tungsten Carbide Milling Cutter Tool, Nano Coating Milling Cutters For Steel



More Images











Product Description


Series-Flat Milling Cutter For Steel Cutting With Minimal Vibration And Sound **Product Description**


| Product parameters | | | | | |
|-----------------------|---|----------------|--------------|--|--|
| Product name: | KM-65 Series-Flat Milling Cutter | Product brand: | км | | |
| Product material: | High quality tungsten steel | paint-coat: | Nano coating | | |
| Scope of application: | Heat-treated steel, quenched steel, steel with HRC<65 ° recommended for cutting | | | | |

It can meet different processing conditions and processing forms of customers and has a wide range of applications









Product Parameters



| | 刃长(Lc) | | 刃数 | 总长(L) | 库存 | 备注 |
|-----|--------|---|----|-------|----|----|
| 1.0 | 3 | 4 | 4 | 50 | | |
| 1.0 | 4 | 4 | 4 | 75 | | |
| 1.2 | 3 | 4 | 4 | 50 | | |
| 1.3 | 3 | 4 | 4 | 50 | | |
| 1.4 | 3 | 4 | 4 | 50 | | |
| 1.5 | 4 | 4 | 4 | 50 | | |
| 1.5 | 6 | 4 | 4 | 75 | | |
| 1.7 | 5 | 4 | 4 | 50 | | |
| 1.8 | 6 | 4 | 4 | 50 | | |
| 1.9 | 6 | 4 | 4 | 50 | | |
| 2.0 | 6 | 4 | 4 | 50 | | |
| 2.0 | 8 | 4 | 4 | 75 | | |
| 2.2 | 6 | 4 | 4 | 50 | | |
| 2.3 | 6 | 4 | 4 | 50 | | |
| 2.4 | 6 | 4 | 4 | 50 | | |
| 2.5 | 7 | 4 | 4 | 50 | | |
| 2.5 | 9 | 4 | 4 | 75 | | |
| 2.7 | 7 | 4 | 4 | 50 | | |
| 2.8 | 7 | 4 | 4 | 50 | | |
| 2.9 | 8 | 4 | 4 | 50 | | |
| 3.0 | 8 | 4 | 4 | 50 | | |
| 3.0 | 8 | 3 | 4 | 50 | | |
| 3.0 | 15 | 4 | 4 | 75 | | |
| 3.0 | 15 | 3 | 4 | 75 | | |
| 3.1 | 8 | 4 | 4 | 50 | | |
| 3.2 | 8 | 4 | 4 | 50 | | |
| 3.3 | 8 | 4 | 4 | 50 | | |
| 3.4 | 8 | 4 | 4 | 50 | | |
| 3.5 | 9 | 4 | 4 | 50 | // | |
| 3.5 | 15 | 4 | 4 | 75 | | |
| 3.6 | 9 | 4 | 4 | 50 | | |
| 3.7 | 9 | 4 | 4 | 50 | | |
| 3.8 | 10 | 4 | 4 | 50 | | |
| 3.9 | 10 | 4 | 4 | 50 | | |
| 4.0 | 10 | 4 | 4 | 50 | | |
| 4.0 | 20 | 4 | 4 | 75 | | |
| 4.0 | 25 | 4 | 4 | 100 | | |
| 5.0 | 13 | 5 | 4 | 50 | | |
| 5.0 | 13 | 6 | 4 | 50 | | |


| 刃径(D) | | 柄径(d) | | | 库存 | 备注 |
|-------|----|-------|---|-----|--------|----|
| 6.0 | 15 | 6 | 4 | 50 | | |
| 6.0 | 20 | 6 | 4 | 75 | | |
| 6.0 | 25 | 6 | 4 | 100 | | |
| 6.0 | 30 | 6 | 4 | 150 | | |
| 8.0 | 20 | 8 | 4 | 60 | | |
| 8.0 | 25 | 8 | 4 | 75 | | |
| 8.0 | 35 | 8 | 4 | 100 | | |
| 8.0 | 50 | 8 | 4 | 100 | | |
| 10.0 | 25 | 10 | 4 | 75 | (A. 1) | |
| 10.0 | 40 | 10 | 4 | 100 | | |
| 10.0 | 45 | 10 | 4 | 150 | | |
| 12.0 | 30 | 12 | 4 | 75 | | |
| 12.0 | 45 | 12 | 4 | 100 | | |
| 12.0 | 50 | 12 | 4 | 150 | | |
| 14.0 | 40 | 14 | 4 | 100 | | |
| 14.0 | 50 | 14 | 4 | 150 | | |
| 16.0 | 40 | 16 | 4 | 100 | | |
| 16.0 | 50 | 16 | 4 | 150 | | |
| 18.0 | 40 | 18 | 4 | 100 | // | |
| 20.0 | 40 | 20 | 4 | 100 | | |
| 20.0 | 55 | 20 | 4 | 150 | | |

单位: mm

Instructions for use

- $1. \ Before \ using \ the \ tool, \ please \ measure \ the \ tool \ runout. \ If \ the \ tool \ accuracy \ exceeds \ 0.01MM, \ please \ correct \ it \ before \ cutting.$
- 2. The shorter the tool extends from the chuck, the better. If the tool extends longer, the speed, feed speed or cutting amount should be reduced.
- 3. During cutting, if abnormal vibration or sound occurs, please reduce the speed and cutting amount until the situation improves.
- 4. Spray and jet cooling are preferred for steel cooling, which can improve the use effect of the milling cutter.

Product display



Company Introduction

Dongguan Kunming Electronic Technology Co., Ltd. focusing on the production and sale of CNC tools. The company manages a wide range of cutting tools, which are mainly used in mold processing, automotive parts processing, IT industry, graphite processing, shippingand machinery industries. Since the establishment of the company, We have been maximizing the interests of customers as its own responsibility, and

to maintain close cooperation and smooth communication, and on this basis, constantly optimize innovative product categories, and continue to provide partners with stable, high-quality and competitive cutting tools.

Product Contents

Standard mold tools, stainless steel tools, aluminum tools, graphite tools, micro-diameter tools, T-type Tool, tungsten steel drill, rough milling cutter, tungsten steel reamer, chamfering cutter, inner R cutter, fixed point drill, taper cutter Customized with all kinds of non-standard tools.

Factory display













FAQ

- 1. Can the price be reduced for large quantities? Yes, bigger quantity orders are cheaper
- 2. What is the lead time for mass production? Honestly, it depends on the order quantity and the season you place your order.
- 3. Can you send the product to our forwarder in China? Yes, if you have a forwarder in China, we are happy to send the product to them.
- 4. Can you produce special carbide tools?
- Of course, we will produce according to your drawings and samples.
- 5. How to buy tools from you?

send us a inquiry sheet or messaget, we would arrange sale to reply you in short time.

6. What's the payment item?
We do 100% T/T in advance for small order, if you are in huge value order, we would discuss on the basis of mutual aggreement.

| Product parameters | | | | | |
|--------------------|---|------------------|--------------|--|--|
| Product name: | KM-65 Series-Flat Milling Cutter | Product brand: | КМ | | |
| Product material: | High quality tungsten steel | paint-coat: | Nano coating | | |
| | Heat-treated steel, quenched steel, steel for cutting | with HRC<65 ° re | commended | | |

It can meet different processing conditions and processing forms of customers and has a wide range of applications

Dongguan Kunming Electronics Technology Co., Ltd.







