



Tungsten Carbide High Precision Steel Milling Cutter For Steel Processing

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: KM
- Model Number: KM-65
- Minimum Order Quantity: 50PCS
- Price: US \$0.70-60.00 / Piece
- Packaging Details: 1pc in a plastic tube and all in carton box
- Delivery Time: 7-14work days
- Payment Terms: T/T, MoneyGram
- Supply Ability: 10000pcs/month



Product Specification

- Material: Tungsten Carbide
- Series: Aluminum Alloy End Mills
- Coating: Uncoated Or DLC Or Lubricate Coating
- Application: Aluminum Alloy , Copper Etc.
- Diameter: 1-20mm
- Tool Length: 50-150mm
- Highlight: **High Precision Steel Milling Cutter,
Tungsten Carbide Steel Milling Cutter,
Tungsten Carbide High Precision Milling Cutter**



More Images



Product Description

High-Precision Cutting with Series Steel Milling Cutter for Steel Processing


Product Description

| Product parameters | | | |
|-----------------------|---|----------------|--------------|
| Product name: | KM-65 Series-Fillet Milling Cutter | Product brand: | KM |
| Product material: | High quality tungsten steel | paint-coat: | Nano coating |
| Scope of application: | Heat-treated steel, quenched steel, steel with HRC<65 ° recommended for cutting | | |

It can meet different processing conditions and processing forms of customers and has a wide range of applications







| 刃径(D) | 刀尖半径(r) | 刃长(Le) | 柄径(d) | 刃数 | 总长(L) | 库存 |
|-------|---------|--------|-------|----|-------|----|
| 1.0 | 0.1 | 3 | 4 | 4 | 50 | ■ |
| 1.0 | 0.2 | 3 | 4 | 4 | 50 | ■ |
| 1.5 | 0.1 | 4 | 4 | 4 | 50 | ■ |
| 1.5 | 0.2 | 4 | 4 | 4 | 50 | ■ |
| 2.0 | 0.1 | 6 | 4 | 4 | 50 | ■ |
| 2.0 | 0.2 | 6 | 4 | 4 | 50 | ■ |
| 2.0 | 0.5 | 6 | 4 | 4 | 50 | ■ |
| 2.5 | 0.1 | 7 | 4 | 4 | 50 | ■ |
| 2.5 | 0.2 | 7 | 4 | 4 | 50 | ■ |
| 2.5 | 0.5 | 7 | 4 | 4 | 50 | ■ |
| 3.0 | 0.1 | 8 | 4 | 4 | 50 | ■ |
| 3.0 | 0.2 | 8 | 4 | 4 | 50 | ■ |
| 3.0 | 0.5 | 8 | 4 | 4 | 50 | ■ |
| 3.0 | 0.1 | 8 | 3 | 4 | 50 | ■ |
| 3.0 | 0.2 | 8 | 3 | 4 | 50 | ■ |
| 3.0 | 0.5 | 8 | 3 | 4 | 50 | ■ |
| 3.5 | 0.2 | 9 | 4 | 4 | 50 | ■ |
| 3.5 | 0.5 | 9 | 4 | 4 | 50 | ■ |
| 4.0 | 0.2 | 10 | 4 | 4 | 50 | ■ |
| 4.0 | 0.3 | 10 | 4 | 4 | 50 | ■ |
| 4.0 | 0.5 | 10 | 4 | 4 | 50 | ■ |
| 4.0 | 1.0 | 10 | 4 | 4 | 50 | ■ |
| 3.0 | 0.5 | 15 | 4 | 4 | 75 | ■ |
| 3.0 | 1.0 | 15 | 4 | 4 | 75 | ■ |
| 3.0 | 0.5 | 15 | 3 | 4 | 75 | ■ |
| 3.0 | 1.0 | 15 | 3 | 4 | 75 | ■ |
| 4.0 | 0.2 | 20 | 4 | 4 | 75 | ■ |
| 4.0 | 0.5 | 20 | 4 | 4 | 75 | ■ |
| 4.0 | 1.0 | 20 | 4 | 4 | 75 | ■ |
| 4.0 | 0.2 | 25 | 4 | 4 | 100 | ■ |
| 4.0 | 0.5 | 25 | 4 | 4 | 100 | ■ |
| 4.0 | 1.0 | 25 | 4 | 4 | 100 | ■ |
| 5.0 | 0.2 | 13 | 5 | 4 | 50 | ■ |
| 5.0 | 0.5 | 13 | 5 | 4 | 50 | ■ |
| 5.0 | 1.0 | 13 | 5 | 4 | 50 | ■ |
| 5.0 | 0.2 | 13 | 6 | 4 | 50 | ■ |
| 5.0 | 0.5 | 13 | 6 | 4 | 50 | ■ |
| 5.0 | 1.0 | 13 | 6 | 4 | 50 | ■ |
| 6.0 | 0.2 | 15 | 6 | 4 | 50 | ■ |

| 刃径(D) | 刀尖半径(r) | 刃长(Le) | 柄径(d) | 刃数 | 总长(L) | 库存 |
|-------|---------|--------|-------|----|-------|----|
| 6.0 | 0.5 | 15 | 6 | 4 | 50 | ■ |
| 6.0 | 1.0 | 15 | 6 | 4 | 50 | ■ |
| 6.0 | 0.5 | 20 | 6 | 4 | 75 | ■ |
| 6.0 | 1.0 | 20 | 6 | 4 | 75 | ■ |
| 6.0 | 0.5 | 25 | 6 | 4 | 100 | ■ |
| 6.0 | 1.0 | 25 | 6 | 4 | 100 | ■ |
| 6.0 | 0.5 | 30 | 6 | 4 | 150 | ■ |
| 6.0 | 1.0 | 30 | 6 | 4 | 150 | ■ |
| 8.0 | 0.2 | 20 | 8 | 4 | 60 | ■ |
| 8.0 | 0.5 | 20 | 8 | 4 | 60 | ■ |
| 8.0 | 1.0 | 20 | 8 | 4 | 60 | ■ |
| 8.0 | 2.0 | 20 | 8 | 4 | 60 | ■ |
| 8.0 | 0.5 | 25 | 8 | 4 | 75 | ■ |
| 8.0 | 1.0 | 25 | 8 | 4 | 75 | ■ |
| 8.0 | 0.5 | 35 | 8 | 4 | 100 | ■ |
| 8.0 | 1.0 | 35 | 8 | 4 | 100 | ■ |
| 8.0 | 0.5 | 50 | 8 | 4 | 100 | ■ |
| 8.0 | 1.0 | 50 | 8 | 4 | 100 | ■ |
| 10.0 | 0.2 | 25 | 10 | 4 | 75 | ■ |
| 10.0 | 0.5 | 25 | 10 | 4 | 75 | ■ |
| 10.0 | 1.0 | 25 | 10 | 4 | 75 | ■ |
| 10.0 | 2.0 | 25 | 10 | 4 | 75 | ■ |
| 10.0 | 3.0 | 25 | 10 | 4 | 75 | ■ |
| 10.0 | 0.5 | 40 | 10 | 4 | 100 | ■ |
| 10.0 | 1.0 | 40 | 10 | 4 | 100 | ■ |
| 10.0 | 0.5 | 45 | 10 | 4 | 150 | ■ |
| 10.0 | 1.0 | 45 | 10 | 4 | 150 | ■ |
| 12.0 | 0.5 | 30 | 12 | 4 | 75 | ■ |
| 12.0 | 1.0 | 30 | 12 | 4 | 75 | ■ |
| 12.0 | 2.0 | 30 | 12 | 4 | 75 | ■ |
| 12.0 | 3.0 | 30 | 12 | 4 | 75 | ■ |
| 12.0 | 0.5 | 45 | 12 | 4 | 100 | ■ |
| 12.0 | 1.0 | 45 | 12 | 4 | 100 | ■ |
| 12.0 | 0.5 | 50 | 12 | 4 | 150 | ■ |
| 12.0 | 1.0 | 50 | 12 | 4 | 150 | ■ |
| 16.0 | 0.5 | 40 | 16 | 4 | 100 | ■ |
| 16.0 | 1.0 | 40 | 16 | 4 | 100 | ■ |
| 16.0 | 0.5 | 50 | 16 | 4 | 150 | ■ |
| 16.0 | 1.0 | 50 | 16 | 4 | 150 | ■ |

单位: mm

Instructions for use

1. Before using the tool, please measure the tool runout. If the tool accuracy exceeds 0.01MM, please correct it before cutting.
2. The shorter the tool extends from the chuck, the better. If the tool extends longer, the speed, feed speed or cutting amount should be reduced.
3. During cutting, if abnormal vibration or sound occurs, please reduce the speed and cutting amount until the situation improves.
4. Spray and jet cooling are preferred for steel cooling, which can improve the use effect of the milling cutter.

Product display



Company Introduction

Dongguan Kunming Electronic Technology Co., Ltd. focusing on the production and sale of CNC tools. The company manages a wide range of cutting tools, which are mainly used in mold processing, automotive parts processing, IT industry, graphite processing, shipping and machinery industries. Since the establishment of the company, We have been maximizing the interests of customers as its own responsibility, and customers to maintain close cooperation and smooth communication, and on this basis, constantly optimize innovative product categories, and continue to provide partners with stable, high-quality and competitive cutting tools.

Product Contents

Standard mold tools, stainless steel tools, aluminum tools, graphite tools, micro-diameter tools, T-type Tool, tungsten steel drill, rough milling cutter, tungsten steel reamer, chamfering cutter, inner R cutter, fixed point drill, taper cutter Customized with all kinds of non-standard tools.

Factory display



FAQ

1. Can the price be reduced for large quantities?

Yes, bigger quantity orders are cheaper.

2. What is the lead time for mass production?

Honestly, it depends on the order quantity and the season you place your order.

3. Can you send the product to our forwarder in China?

Yes, if you have a forwarder in China, we are happy to send the product to them.

4. Can you produce special carbide tools?

Of course, we will produce according to your drawings and samples.

5. How to buy tools from you?

send us a inquiry sheet or messaget, we would arrange sale to reply you in short time.

6. What's the payment item?

We do 100% T/T in advance for small order, if you are in huge value order, we would discuss on the basis of mutual aggreement.



Dongguan Kunming Electronics Technology Co., Ltd.



+8613450663420



cutter-milling.com