

# CNC Milling Cutter Tungsten Carbide End Mill Coated End Mill

# **Basic Information**

- Place of Origin:
- Brand Name: KM
- Model Number: KM-55
- Minimum Order Quantity: 20PCS
- Price: US \$1.00-60.00 / Piece

China

T/T, MoneyGram

10000pcs/month

- Packaging Details:
- Delivery Time: 7-14work days
- Payment Terms:
- Supply Ability:

Our Product Introduction

for more products please visit us on cutter-milling.com



## **Product Specification**


- Material:
- Series:
- Coating:
- Application:
- Flutes Number:
- Diameter:
- Tool Length:

| Tungsten Carbide                     |
|--------------------------------------|
| Aluminum Alloy End Mills             |
| Uncoated Or DLC Or Lubricate Coating |
| Aluminum Alloy, Copper Etc.          |
| 4F                                   |
| 1-20mm                               |
| 50-150mm                             |

1pc in a plastic tube and all in carton box



## More Images




# Product Description


### Product Descriptio

| Product Name            | 4 flutes CNC Milling Cutter  |  |  |  |  |
|-------------------------|--|--|--|--|--|
| Material                | Carbide  |  |  |  |  |
| Coating                 | TIALN  |  |  |  |  |
|                         | 1. Coating witn TIALN Can Cutting Harden materiel, 3 times<br>Durable than Carbide.  |  |  |  |  |
|                         | 2. has good milling and cutting performance, ensure the high efficiency of the work.   |  |  |  |  |
| Feature                 | 3. sufficient bending strength and wear resistance, slot<br>milling, hole and the edge of the board, the surface is clean,<br>neat, no glitches. |  |  |  |  |
|                         | 4. high strength, resistance to bending, breakage resistance, and have excellent physical properties, long tool life.                            |  |  |  |  |
|                         | 5. tool type, suitable for the needs of all aspects of the milling   |  |  |  |  |
| Applicable<br>materials | die steel, hardening material,Steel,Acrylic, PVC, plastic,<br>wood, aluminum panels, nylon, resin  |  |  |  |  |



**Our Product Introduction** 





|     |          | Model           | Information |     |     | (mm) |  |
|-----|----------|-----------------|-------------|-----|-----|------|--|
|     |          |                 | CED         | CEL | SHK | OVL  |  |
| 21  |          | D1*3*D4*50L     | 1           | 3   | 4   | 50   |  |
| E   |          | D1.5*4.5*D4*50L | 1.5         | 4.5 | 4   | 50   |  |
| 6   | 12       | D2*6*D4*50L     | 2           | 6   | 4   | 50   |  |
|     |          | D2.5*7.5*D4*50L | 2.5         | 7.5 | 4   | 50   |  |
| CED | )        | D3*9*D4*50L     | 3           | 9   | 4   | 50   |  |
| CEL | <u> </u> | D3.5*10*D4*50L  | 3.5         | 10  | 4   | 50   |  |
|     | 7        | D4*10*D4*50L    | 4           | 10  | 4   | 50   |  |
|     |          | D4*16*D4*75L    | 4           | 16  | 4   | 75   |  |
|     | V        | D4*20*D4*100L   | 4           | 20  | 4   | 100  |  |
|     |          | D5*13*D6*50L    | 5           | 13  | 6   | 50   |  |
|     | X I      | D6*15*D6*50L    | 6           | 15  | 6   | 50   |  |
|     |          | D6*24*D6*75L    | 6           | 24  | 6   | 75   |  |
|     |          | D6*30*D6*100L   | 6           | 30  | 6   | 100  |  |
|     | OVL      | D8*20*D8*60L    | 8           | 20  | 8   | 60   |  |
|     |          | D8*30*D8*75L    | 8           | 30  | 8   | 75   |  |
|     |          | D8*35*D8*100L   | 8           | 35  | 8   | 100  |  |
|     |          | D10*25*D10*75L  | 10          | 25  | 10  | 75   |  |
|     |          | D10*40*D10*100L | 10          | 40  | 10  | 100  |  |
|     |          | D12*30*D12*75L  | 12          | 30  | 12  | 75   |  |
|     |          | D12*45*D12*100L | 12          | 45  | 12  | 100  |  |
|     |          | D14*45*D14*100L | 14          | 45  | 14  | 100  |  |
|     |          | D16*45*D16*100L | 16          | 45  | 16  | 100  |  |
|     |          | D18*45*D18*100L | 18          | 45  | 18  | 100  |  |
| SHK |          | D20*45*D20*100L | 20          | 45  | 20  | 100  |  |

Instructions for use


1. Before using the tool, please measure the tool runout. If the tool accuracy exceeds 0.01MM, please correct it before cutting.

2. The shorter the tool extends from the chuck, the better. If the tool extends longer, the speed, feed speed or cutting amount should be reduced.

3. During cutting, if abnormal vibration or sound occurs, please reduce the speed and cutting amount until the situation improves.

4. Spray and jet cooling are preferred for steel cooling, which can improve the use effect of the milling cutter.

Product display



**Company Introduction** 

Dongguan Kunming Electronic Technology Co., Ltd. focusing on the production and sale of CNC tools. The company manages a wide range of cutting tools, which are mainly used in mold processing, automotive parts processing, IT industry, graphite processing, shippingand machinery industries. Since the establishment of the company, We have been maximizing the interests of customers as its own responsibility, and customers

to maintain close cooperation and smooth communication, and on this basis, constantly optimize innovative product categories, and continue to provide partners with stable, high-quality and competitive cutting tools.

### Product Contents

Standard mold tools, stainless steel tools, aluminum tools, graphite tools, micro-diameter tools, T-type Tool, tungsten steel drill, rough milling cutter, tungsten steel reamer, chamfering cutter, inner R cutter, fixed point drill, taper cutter Customized with all kinds of non-standard tools.

Factory display



## FAQ

1. Can the price be reduced for large quantities? Yes, bigger quantity orders are cheaper.

2. What is the lead time for mass production? Honestly, it depends on the order quantity and the season you place your order.

3. Can you send the product to our forwarder in China? Yes, if you have a forwarder in China, we are happy to send the product to them.

4. Can you produce special carbide tools? Of course, we will produce according to your drawings and samples.

5. How to buy tools from you? send us a inquiry sheet or messaget, we would arrange sale to reply you in short time.

6. What's the payment item?

We do 100% T/T in advance for small order, if you are in huge value order, we would discuss on the basis of mutual aggreement.

**I** Dongguan Kunming Electronics Technology Co., Ltd.

0

+8613450663420