

# M14-M24 HSS-E Tin-Coated Spiral Fluted Tap with British Standard ISO Standard

## **Basic Information**

- Place of Origin:
- Brand Name:
- Minimum Order Quantity:

China KM

50

US\$12.00-100.00 / Piece

7-14work days

T/T, MoneyGram

10000pcs/month

1pc in a plastic tube and all in carton box

- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



## **Product Specification**

<ul> <li>Material:</li> </ul>	HSS-E
Coating:	TIN
• Type:	Cutting Tool
• Standard:	Metric, British, American
• Usage:	Machine Cutting
<ul> <li>Surface Finishing:</li> </ul>	Tin Coating/Whithout Coating
<ul> <li>Size Customized:</li> </ul>	Acceptable
<ul> <li>Application:</li> </ul>	Motorize
<ul> <li>Application For Machine Tool:</li> </ul>	Milling
Suitable For:	Low Medium High Carbon Steel, Alloy Steel, Stainl
• Highlight:	British Standard Spiral Fluted Tap, M14-M24 Spiral Fluted Tap, Tin-Coated Spiral Fluted Tap



# More Images









## **Product Description**

- High-Quality Material: This machine thread tap is made from high-speed steel, ensuring durability and long-lasting performance in demanding applications.
- Titanium Coating for Enhanced Durability: The tap features a titanium coating, providing an extra layer of protection against wear and tear, and extending its lifespan.
- High-Speed Performance: The M12 tap is designed for high-speed applications, allowing for efficient and fast threading operations, meeting the demands of modern manufacturing processes.








Product Paramenters

	blade lengt	h ──→						
		_	(MARIN	shank diamete	er			
+whole legth								
specification	Whole length mm	Blade length mm	Shank diameter	Number of slots	Quant			
specification M2	Whole length mm	Blade length mm	Shank diameter mm 3	Number of slots	Quant per bo 10PC			
		I THE CONTRACT OF THE OWNER.	mm		per b			
M2	42	12	<b>mm</b> 3	3	per b 10PC 10PC			
M2 M2.5	42 47	12 14	mm 3 3	3 3	per b 10PC 10PC 10PC			
M2 M2.5 M3	42 47 51	12 14 15	mm 3 3 4	3 3 3	per b 10PC 10PC 10PC 10PC			
M2 M2.5 M3 M4	42 47 51 56	12 14 15 17	mm 3 3 4 5	3 3 3 3	per b 10PC 10PC 10PC 10PC 10PC			
M2 M2.5 M3 M4 M5	42 47 51 56 60	12 14 15 17 20	mm 3 3 4 5 5 5	3 3 3 3 3 3	per b			
M2 M2.5 M3 M4 M5 M6	42 47 51 56 60 70	12 14 15 17 20 24	mm 3 4 5 5 6	3 3 3 3 3 3 3 3	per b 10PC 10PC 10PC 10PC 10PC			



specification	Whole length mm	Blade length mm	Shank diameter mm	Number of slots	Quantity per box
M2	42	12	3	3	10PCS
M2.5	47	14	3	3	10PCS
MЗ	51	15	4	3	10PCS
M4	56	17	5	3	10PCS
M5	60	20	5	3	10PCS
M6	70	24	6	3	10PCS
M8	71	22	6.25	3	10PCS
M10	80	24	8	3	10PCS
M12	90	30	9	3	10PCS

Applicable Materials

# **APPLICABLE MATERIALS**



Our products are rich in variety and complete in specifications, which can meet the processing needs of different levels in production and processing.

**Daily Maintenance** 

1. When threading, the end of the workpiece should be chamfered, and the end face of the puller should be perpendicular to the axis of the

workpiece; axial pressure should be applied at the beginning of threading, and the rotational pressure should be correspondingly larger; when the


puller cuts out threads on the workpiece, Just stop stressing.

2. When threading, in order to break the chips and discharge them in time, the teeth should be reversed frequently.

3. The workpiece should be firmly fixed on the clips and fixtures; when the tap is broken, do not touch the broken place with your hands, but use a

clip chisel or a sample punch to pick it out, and you must wear protective glasses when the tap is broken.

Product display



#### **Company Introduction**

Dongguan Kunming Electronic Technology Co., Ltd. focusing on the production and sale of CNC tools. The company manages a wide range of cutting tools, which are mainly used in mold processing, automotive parts processing, IT industry, graphite processing, shippingand machinery industries. Since the establishment of the company, We have been maximizing the interests of customers as its own responsibility, and customers

to maintain close cooperation and smooth communication, and on this basis, constantly optimize innovative product categories, and continue to provide partners with stable, high-quality and competitive cutting tools.

### Product Contents

Standard mold tools, stainless steel tools, aluminum tools, graphite tools, micro-diameter tools, T-type Tool, tungsten steel drill, rough milling cutter, tungsten steel reamer, chamfering cutter, inner R cutter, fixed point drill, taper cutter Customized with all kinds of non-standard tools.



## FAQ

1. Can the price be reduced for large quantities? Yes, bigger quantity orders are cheaper.

2. What is the lead time for mass production? Honestly, it depends on the order quantity and the season you place your order.

3. Can you send the product to our forwarder in China? Yes, if you have a forwarder in China, we are happy to send the product to them.

4. Can you produce special carbide tools? Of course, we will produce according to your drawings and samples.

5. How to buy tools from you? send us a inquiry sheet or messaget, we would arrange sale to reply you in short time.

### 6. What's the payment item?

We do 100% T/T in advance for small order, if you are in huge value order, we would discuss on the basis of mutual aggreement.

