

# igh Precision H7 Hard Metal Carbide Machine Reamer for Accurate Drilling

### **Basic Information**

Place of Origin: China
Brand Name: KM
Model Number: KM-55
Minimum Order Quantity: 50PCS

• Price: US \$0.70-60.00 / Piece

• Packaging Details: 1pc in a plastic tube and all in carton box

Delivery Time: 7-14work days
Payment Terms: T/T, MoneyGram
Supply Ability: 10000pcs/month



## **Product Specification**

Material: Tungsten Carbide

• Series: Aluminum Alloy End Mills

Coating: Uncoated Or DLC Or Lubricate Coating

• Application: Aluminum Alloy , Copper Etc.

Diameter: 1-20mmTool Length: 50-150mm



# More Images









# Product Description


### **Product Description**

material	Solid carbide	
model number	Carbide reamer	
customized support	OEM, ODM	
Product Name	Carbide Spiral Flute Reamer Tools	
Material	Tungsten Carbide	
Suitable for	Cast Iron.Carbon Steel.Mould Steel	
Usage	High Speed Cutting	
Application	Hole Processing	
HRC	45/55/60/65HRC	
Processing Type	Metal Cutting Tools	
Advantages	Durable	
Precision	High Precision	
MOQ	10 Pcs	









**Product Parameters** 

Blade diameter	Total length	Blade length	Blade count
2	50	25	4F
2.5	50	25	4F
3	50	25	4F
3	60	15	4F
3.5	50	25	4F
4	50	25	4F
4	75	19	4F
4.5	50	25	4F
5	50	25	4F
5	85	23	6F
5.5	50	25	4F
6	60	30	6F
6	90	26	6F
6.5	60	30	6F
7	70	35	6F
8	70	40	6F
8	110	33	6F
9	75	40	6F
10	75	40	6F
10	130	35	6F
11	75	40	6F
12	80	40	6F
12	150	45	6F
13	100	50	6F
14	100	50	6F
14	150	45	6F
15	100	50	6F
16	100	50	6F
16	150	45	6F
17	100	50	6F
18	100	50	6F
18	150	45	6F
19	100	50	6F
20	100	50	6F
20	150	45	6F

# Processing material



#### Instructions for use

- 1. Before using the tool, please measure the tool runout. If the tool accuracy exceeds 0.01MM, please correct it before cutting.
- 2. The shorter the tool extends from the chuck, the better. If the tool extends longer, the speed, feed speed or cutting amount should be reduced.
- 3. During cutting, if abnormal vibration or sound occurs, please reduce the speed and cutting amount until the situation improves.
- 4. Spray and jet cooling are preferred for steel cooling, which can improve the use effect of the milling cutter.

# Product display











For more products please contact us

# Part of the product display For more product details, please contact us









### Company Introduction

Dongguan Kunming Electronic Technology Co., Ltd. focusing on the production and sale of CNC tools. The company manages a wide range of cutting tools, which are mainly used in mold processing, automotive parts processing, IT industry, graphite processing, shippingand machinery industries. Since the establishment of the company, We have been maximizing the interests of customers as its own responsibility, and customers

to maintain close cooperation and smooth communication, and on this basis, constantly optimize innovative product categories, and continue to provide partners with stable, high-quality and competitive cutting tools.

#### Product Contents

Standard mold tools, stainless steel tools, aluminum tools, graphite tools, micro-diameter tools, T-type Tool, tungsten steel drill, rough milling cutter, tungsten steel reamer, chamfering cutter, inner R cutter, fixed point drill, taper cutter Customized with all kinds of non-standard tools.

#### Factory display













#### FAQ

- 1. Can the price be reduced for large quantities? Yes, bigger quantity orders are cheaper.
- 2. What is the lead time for mass production? Honestly, it depends on the order quantity and the season you place your order.
- 3. Can you send the product to our forwarder in China? Yes, if you have a forwarder in China, we are happy to send the product to them.
- 4. Can you produce special carbide tools? Of course, we will produce according to your drawings and samples.
- 5. How to buy tools from you? send us a inquiry sheet or messaget, we would arrange sale to reply you in short time.
- 6. What's the payment item?
- We do 100% T/T in advance for small order, if you are in huge value order, we would discuss on the basis of mutual aggreement.







